CD38 Monoclonal Antibody (HIT2)

Product Details	
Size	100 µg
Species Reactivity	Human
Published Species	Human
Host/Isotope	Mouse / IgG1
Class	Monoclonal
Туре	Antibody
Clone	HIT2
Conjugate	Unconjugated
Immunogen	Fetal human thymocytes.
Form	Liquid
Concentration	1 mg/mL
Purification	Protein A
Storage buffer	PBS, pH 7.4
Contains	15mM sodium azide
Storage Conditions	4° C, do not freeze
RRID	AB_1072231


Applications	Tested Dilution	Publications
Flow Cytometry (Flow)	Assay Dependent	16 Publications
Immunohistochemistry (Frozen) (IHC (F))	Assay Dependent	-
Immunohistochemistry (Paraffin) (IHC (P))	10 µg/mL	-
Western Blot (WB)	2 µg/mL	-
Miscellaneous PubMed (Misc)	-	6 Publications

Product Specific Information

A suggested positive control for this product is RAJI human cells.

1

Product Images For CD38 Monoclonal Antibody (HIT2)



CD38 Antibody (MA1-19316) in Flow

Flow cytometry analysis of CD38 using a monoclonal antibody (Product # MA1-19316).

2

□ 22 References

Flow Cytometry (16)

AIDS research and human retroviruses	Species
ncreased Steady-State Memory B Cell Subsets Among High-Risk	Human
Participants in an HIV Vaccine Trial.	Dilution
MA119316 was used in flow cytometry to investigate how differences in B cell populations may contribute to HIV susceptibility"	Not Cited
Authors: Keefer MC,Zheng B,Rosenberg AF,Kobie JJ	Year 2017
PloS one	Species
Humoral Dysregulation Associated with Increased Systemic	Human
Inflammation among Injection Heroin Users.	Dilution
	Not Cited
MA119316 was used in flow cytometry to characterize B cells and antibody repertoires from injection drug users"	
MA119316 was used in flow cytometry to characterize B cells and antibody repertoires from injection drug users" Authors: Piepenbrink MS,Samuel M,Zheng B,Carter B,Fucile C,Bunce C,Kiebala M,Khan AA,Thakar J,Maggirwar SB, Jorse D,Rosenberg AF,Haughey NJ,Valenti W,Keefer MC,Kobie JJ	Year

View more Flow references on thermofisher.com

Miscellaneous PubMed (6)

Journal of virology	Species Human
Tropism of varicella-zoster virus for human tonsillar CD4(+) T	Dilution Not Cited
lymphocytes that express activation, memory, and skin homing markers.	
"MA1-19316 was used in flow cytometry to report that Varicella-zoster virus infects human tonsillar CD4(+) T cells."	
Authors: Ku CC,Padilla JA,Grose C,Butcher EC,Arvin AM	Year 2002
Blood	Species
Blood Role for granulocyte colony-stimulating factor in the generation of	Species Human
	Human Dilution
Role for granulocyte colony-stimulating factor in the generation of	Human

View more Misc references on thermofisher.com

More applications with references on thermofisher.com

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are varranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and for accompanying package insert ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year form date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTAD INCLUDING WITHOUT LIMITATION, IMPLED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINCEMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTE PORIODIS LIMITED TO REPAIR, REPLACEMENT OF OR REPUND FOR THE NON-CONFORMING PRODUCTS and Constrained to accompanying the Product or In the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without initiation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption to human or animals.

3